Ultimate 2000 DMX

Hazer/Cracker

The best atmospheric hazer ever to wear the Swefog logo is the product of two decades of fogmaking and a ground-up engineering effort.

Zealous attention to detail is what separates Swefog products from the mainstream. Professional-grade design and engineering means a comittment to a higher standard. In place of flashy doodads and gimmicks, Swefog hazers are endowed with innovation and technology that uplifts everyday use.

Again, Swefog sets a reference standard with the Ultimate 2000 DMX, the 4th generation of atmospheric hazers.

No other haze - water, glycerine or glycol-based - compares to the haze of Ultimate 2000 DMX.

The haze is virtually invisible until it is illuminated, and it enhances the beams from projected lights without loss of light illumination power.

Unbeated reliability, performance and value for money, the 4th generation Ultimate hazers represents a true industry standard that other hazers compares to.

Proudly hand-made in Sweden.











HIGHLIGHTS:

v5

- Instant ON, NO warm-up time, NO heat, NO glycols, NO water, NO spirits.
- Fully integrated DMX control, uses one channel only.
- Manual or DMX control mode. Illuminated LED display, auto-store of DMX channel at power-off, perfect for touring use.
- Extremely low fluid consumption, 0,05 ltr per hour at continous operation & full output.
- A 5L fluid canister will last for approximate 80 (!) hours of continous operation at full output.
- An advanced internal 5 micron filter system ensures the safest, cleanest atmospheric haze.
- Features a new air filter system; in & outlets are protected with an easily interchangeable filter material, keeping internal parts clean.
- New, ergonomic AluGrip handle and a perfect balanced design makes Ultimate 2000 fully portable.

Specifications:

Type: "Cracker" haze generator, pneumatic.

Fluid type: Mineral-oil based

Fluid consumption: 0.05 ltr at continuous. operation

Reservoir capacity: 2.5 ltr
Operation: Continuous

Nozzle type: Swefog V-TEC 3-way vapourizing nozzles

Power: 240V -50Hz. DMX channels req: 1

Power consumption: 580 Watts

Dimensions: LxWxH: 383 x 204 x 388 mm


Weight: 19,3 kgs













Ultimate 3000 DMX

Hazer/Cracker

Separate or as one, compact unit? The Ultimate 3000 DMX can do it all. Real stuff, good haze. Made in Sweden.

Zealous attention to detail is what sets Swefog products apart from the mainstream. Professional-grade design and engineering means a comittment to a higher standard. In place of flashy doodads and gimmicks, Swefog hazers are endowed with innovation and technology that uplifts everyday use.

Again, Swefog sets a reference standard with the Ultimate 3000 DMX, the 4th generation of atmospheric hazers.

This machine is the perfect combination of the unbeatable haze from an Ultimate series hazer and whisper-quiet operation. Ultimate 3000 DMX has the same high output capacity as Ultimate 2000 DMX, but compressor and haze units are able to work separately.

With the use of an extension hose up to 25m (82 ft), the compressor unit can be hidden away for silent operation. The haze unit, which can be placed directly on a theatre stage, contains Swefog's Whisper technology; the unit is designed vibration-free, and with lowest possible fan noise.

No other haze - water, glycerine or glycol-based - compares to the haze of Ultimate 3000 DMX.

The haze is virtually invisible until it is illuminated, and it enhances the beams from projected lights without loss of illumination power.

Unbeatable reliability, performance and value for money, the 4th generation Ultimate hazers represent a true industry standard that other hazers compare to.

Proudly handmade in Sweden.






HIGHLIGHTS:

- Instant ON, NO warm-up time, NO heat, NO glycols, NO water, NO spirits.
- Fully integratedDMXcontrol, uses one channel only.
- Manual or DMX control mode. Illuminated LED display, auto-store of DMXchannel at power-off, perfect for touring use.
- Extremely low fluid consumption, 0,05 ltr per hour at continuous operation at full output. A 5L fluid canister will last for approx. 80 (!) hours.
- An advanced internal 5 micron filter system ensures the safest, cleanest atmospheric haze.
- Features a new air filter system; in & outlets are protected with an easily replaceable filter, keeping internal parts clean.

All pictures are for information only. Products, specifications and timescales subject to change without notice.





v5

Comes fully loaded with two sets of air hoses
 & electric cables, 0,5m & 10m. Optional 16m &
 25m air hoses available from your Swefog dealer!

 A new, ergonomic AluGrip handle and a perfectly balanced design make Ultimate 3000 fully portable.

Specifications:

Type: "Cracker" haze generator, pneumatic.

Fluid type: Mineral-oil based

Fluid consumption: 0.05 ltr at continuous. operation

Reservoir capacity: 2.5 ltr Operation: Continuous

Nozzle type: Swefog V-TEC 3-way vapourizing nozzles

Power: 240V -50Hz. DMX channels req: 1

Max length of air hose: 25m.

Power consumption Haze unit: 40 Watts Power consumption Haze unit: 540 Watts

Dimensions compressor: LxWxH:417 x 203 x 293mm


Weight: 14,7 kgs

Dimensions haze unit: LxWxH: 410 x 203 x 335mm

Weight: 11,9 kgs

















The K family is designed for the up and coming lightdesigner and dj aswell as for the most experienced Swefog user. The K family is smaller, lighter, simpler and even more affordable, yet still as genuine as its bigger sisters. First out is K1, a water based haze generator. K5 and K7 are two powerful fog generators, and the K9 will be the first water based fog generator with fully variable fog density control. The K Family is expected to release during 2019.

MINIMAL FOOTPRINT

The smaller design simplifies flight casing and the machines can be transported and stored in any position without risk of leaks. It also makes a minimal footprint on stage. All K members utilize LED illuminated fluid container level.

BAG-IN-BOX EQUALS ECOLOGY AND ECONOMY

The K family use Swefog's Oktagon™ bag-in-box fluid containers saves 75% of plastics and are 100% leak-proof. It also prevents the fluids from aging, saving both money and the environment. And as a bonus, the whole box including the PE plastics are fully recycleble.

OLED DISPLAY

All models of K use OLED displays with superb contrast. The logical menu system is easy to use even for a first time user.

Many functions are automatic, including fluid empty detection.

THE PERKS

- $\boldsymbol{\cdot}$ One minute only heat-up time.
- · High output with less fluid usage.
- · Continuous operation at all output levels.
- · Silent operation with seamless fan speed control.
- · Integrated WaveGuide $^{\text{TM}}$ for direction of air flow.
- One 3 L Oktagon™ BiB container is enough for up to 75 hrs of continuous operation.
- DMX 512, featuring full RDM for communicating with light desk.
- \cdot USB interface for service & firmware updates.
- · Smooth, linear fog output at all levels, 1-100%.

FLUIDS

K1 uses a special molecular haze fluid. 3L BiB as standard, 25 & 220 L available for permanent installation.

MADE IN SWEDEN

All Swefog generators are built with premium components, handcrafted and manufactured in Sweden.

The K family is no exception.











Water based fluid

NEUTRAL-PRO HD

NEUTRAL-PRO HD creates a pure, white high density smoke with very long hang time.

NEUTRAL-PRO HD is a premium smoke fluid using the finest chemicals available. The smoke is odourless, non-toxic and very silk and dry.

NEUTRAL-PRO HD is suitable for use in most common smoke machines using high-power heat exchangers.

Recommended for Swefog Live T26 evo2 (TM) Smoke processor.

Can also be used for Xeon Intellahazer, eg when denser smoke is preferred, in larger venues.

NEUTRAL-PRO HD should NOT be used in hazers or hybrid machines, using low-mass or low power heat exchangers.

Available in 5L & 220L plastic barrel.

HEAVY FOG HD FLUID

Soon comming.









Water based fluid

SWEFOG

NEUTRAL-PRO MD

NEUTRAL-PRO MD creates a silk haze/fog with medium density.

NEUTRAL-PRO MD is a premium haze fluid using the finest chemicals available. The haze is odourless, non-toxic and very silk and dry.

NEUTRAL-PRO MD is suitable for use in most common smoke machines using high or medium power heat exchangers.

NEUTRAL-PRO MD should NOT be used in hazers or hybrid machines, using low-mass or low power heat exchangers.

Available in 5L & 220L plastic barrel.



NEUTRAL-PRO XTR

NEUTRAL-PRO XTR creates a very thin, silk haze for atmospheric effects of projected lights.

NEUTRAL-PRO XTR is a premium haze fluid using the finest chemicals available. The haze is odourless, non-toxic and very silk and dry.

NEUTRAL-PRO XTR is suitable for use in most common smoke machines & hazers using high, medium or low power heat exchangers.

Recommended for Swefog XEON Intellahazer.

NEUTRAL-PRO XTR should NOT be used in hazers made for use with special fluids (glycerine, mineral oil etc). The fluid should not be used in hazers using direct heated tubular heat exchangers (those machines require specially composed fluid).

Available in 5L & 220L plastic barrel.





AVL Copyright © 2017



10





All pictures are for information only. Products, specifications and timescales subject to change without notice.

Minreal oil based fluid

ULTIMATE C-FLUID

ULTIMATE C-FLUID is a medical-grade oil based fluid, compatible with most pneumatic cracker hazers on the market.

It creates a very light haze, which is virtually invisible until it is illuminated.

Very long lasting, 3+ hours hang time.

Probably the best cracker fluid in the world – beware of imitations.

Original fluid for Swefog's Ultimate hazer range.

Also usable in DF50.

Available in 5L & 210L.

ULTIMATE C-XL FLUID

ULTIMATE C-XL FLUID is a medical-grade oil based fluid, compatible with most pneumatic cracker hazers on the market.

It creates an extremely light haze, which is virtually invisible until it is illuminated.

Short lasting, approx. 5 min. hang time.

C-XL is suitable for mixing with Ultimate C-fluid, for the perfect blend.

Original fluid for Swefog's Ultimate hazer range.

Available in 5L & 210L.









v5 12

Minreal oil based fluid

Stratosphere Hydro Power

For use in Nitrogen (N2)or Carbon Dioxide (CO2) neutral gas operated fog generators only. NOT for use in any other type of fog generator. Risk of fire or serious personal injury if used in conventional fog generators, or fog generators operated without a neutral gas.

Extremely long lasting.

Original fluid for soon-coming Swefog STRATOS & STRATOSPHERE (TM) fog generator series.







